

HUBBARD COMMUNICATIONS OFFICE  
Saint Hill Manor, East Grinstead, Sussex  
HCO BULLETIN OF 5 FEBRUARY 1970R  
REVISED 16 AUGUST 1983

AOs  
Class VIIIs  
Solo OT III  
Course  
Solo C/Ses

(Revised to delete references to running R3R on  
an OT, per HCOB 12 Sep 78, DIANETICS  
FORBIDDEN ON CLEARS AND OTS.)

(Revisions in Script)

SECRET

THE BASIC ON BTs

I've isolated a way a thetan comes to be stuck to another thetan. This gives the basis of clusters and having BTs.

The cycle is this : A thetan collides with another. That one makes a picture of being collided with. Other BTs get stuck to the picture.

The moment of actual contact of theta ns was brief but the picture ( containing a stop or withdraw ) tends to be permanent.

Theta ns then get the idea they can be permanently stuck as they see pictures of it happening.

Thus we get the concept of a "black theta body". This would be actual BTs stuck to a thetan plus pictures of BTs stuck to a thetan.

An answer to all this is to find the first picture a thetan made of contacting another thetan. If not at once available the earliest instance of a thetan contacting ( colliding, running into, attacking ) another thetan could be achieved by Date/Locating times when one was being suddenly hit with clusters, or strange pains. ( Ref: HCOB 15 Nov 78, DATING AND LOCATING. )

The idea is to find and blow the first picture one made of another thetan.

This opens another way to "blow off" BTs — Date /Locate on a BT the first picture the BT ever made of another thetan.

LRH: kjm  
Copyright © 1970, 1983  
by L. Ron Hubbard  
ALL RIGHTS RESERVED

L. RON HUBBARD

\*\*\*

