

HUBBARD COMMUNICATIONS OFFICE
 Saint Hill Manor, East Grinstead, Sussex
 HCO BULLETIN OF 16 SEPTEMBER 1978

Advanced Courses
 Specialist Checksheets
 ACS Auditors
 ACS C/Ses

ISSUE III
 LIMITED DISTRIBUTION

NED for OTs Series 31

CONFIDENTIAL

THE THETAN HAND TECHNIQUE

There's another process of getting rid of BTs and clusters. It is not always that magnificent but it is sometimes functional.

What you do is mock up a „thetan hand” and using the edge of it as a sort of knife, you pass it between the body and black masses and sever them off. These masses are attached to the body by strings or lines or suction cups or beams. You sever the line or string holding them to the body. Sometimes the mocked up hand departs with them, because after all it was mocked up and it would of course vanish.

COMPOSITE MASSES AND LAYERED CLUSTERS

You use this technique – the „thetan hand” – to separate ridges and masses, or to split up opposite masses. Two or more ridges may be jammed together into a mass, sometimes there are layers upon layers of clusters. Pass the „thetan hand” between them, between two ridges, or masses or layer of clusters to sever the connection and split them up into separate pieces, which can then be blown, one piece at a time.

COMPLETELY UNRESPONSIVE MASSES

Sometimes you will encounter a mass that is so inert that it won't even come into communication with „Hello and OK”. Such masses may have to be thrown off physically, using a mocked up hand. The Pre-OT simply takes the mass and physically throws it off. And then throws away the mocked up hand too – so there is no connection or line back to the body. This has been referred to as the „yo-heave” technique, and while it isn't particularly of benefit to BTs and clusters, it is a way of getting rid of a completely unresponsive mass when all else fails. Such unresponsive masses are not that common. Most commonly, any difficulties in blowing BTs and clusters come from (a) over-restimulation due to too long a session, (b) overrun session EP (F/N TA), (c) lack of sleep or tiredness of the Pre-OT, or (d) a deficiency of Calcium or Vitamin B1. Those are the most common reasons for difficulty and are easily remedied.

L. RON HUBBARD
 FOUNDER